

- Alexander, J. P., 1996, New extraction and preparation techniques for well preserved Bridger Formation fossils: *Abstracts, Sixty-fourth annual meeting, Society of Vertebrate Paleontology, New York, NY, United States, Oct. 16-19, 1996*, 16(3, Suppl):19.
- Alexander, J. P. and B. J. Burger, 1998, Stratigraphy and taphonomy of Grizzly Buttes, Wyoming: *Abstracts, Fifty-eighth annual meeting, Society of Vertebrate Paleontology, Snowbird, UT, United States, Sept. 30-Oct. 3, 1998*, 18(3, Suppl):23.
- Alexander, J. P. and B. J. Burger, 2001, Stratigraphy and taphonomy of Grizzly Buttes, Bridger Formation, and the middle Eocene of Wyoming; Eocene biodiversity; unusual occurrences and rarely sampled habitats: *Topics in Geobiology*, 18:165-196.
- Alexander, J. P. and R. D. E. MacPhee, 1999, Skull morphology of *Omomys carteri*: *Abstracts, Fifty-ninth annual meeting, Society of Vertebrate Paleontology, Denver, CO, United States, October 20-23, 1999*, 19(3, Suppl):29.
- Alexander, J. P. and K. Padian, 1994, Sympatry of two species of *Notharctus* in the Bridger Basin, Wyoming: *Abstracts, Fifty-fourth annual meeting, Society of Vertebrate Paleontology, Seattle, WA, United States, Oct. 19-22, 1994*, 14(3, Suppl):14.
- Ambrose, P. D., 1992, Taphonomy and paleoenvironments of a turtle-bearing unit of the Bridger Formation, southwestern Wyoming: *Abstracts, Fifty-second annual meeting, Society of Vertebrate Paleontology, Toronto, ON, Canada, October 28-31, 1992*, 12(3, Suppl):16A.
- Anderson, D., S. Ting, P. Gingerich, P. Higgins, B. Small and M. Fox, 2004, Evidence for directional selection in *Leptotomus parvus* (Rodentia; Ischyromyidae), Bridger Formation (middle Eocene), Green River basin, Wyoming: *Abstracts, Sixty-fourth annual meeting, Society of Vertebrate Paleontology, Denver, CO, United States, Nov. 3-6, 2004*, 24(3, Suppl):34.
- Anderson, D. K., 2000, Revision of the genus *Leptotomus* (Rodentia, Paramyidae): *Abstracts, Sixtieth annual meeting, Society of Vertebrate Paleontology, Mexico City, Mexico, Oct. 25-28, 2000*, 20(3, Suppl):26.
- Anemone, R. L. and B. A. Nachman, 1999, Extraordinary assemblage of *Omomys* fossils from the Bridger C, Unita Co, WY; hindlimb morphology and positional behavior: *Geological Society of America, North-Central Section, 33rd annual meeting, Champaign, IL, United States, April 22-23, 1999*, 31(5):2.
- Barker, S. W., 1975, A preliminary study of the paleontology of a part of Bridger Basin near Lonetree, Wyoming: *Proceedings of the Utah Academy of Sciences, Arts and Letters*, 52(1):77.
- Bartels, W. S., 1993, Niche separation of fluvial and lacustrine reptiles from the Eocene Green River and Bridger formations of Wyoming: *Abstracts, Fifty-third annual meeting, Society of Vertebrate Paleontology, Albuquerque, NM, United States, Oct. 13-16, 1993*, 13(3, Suppl):25.

- Berman, D. S., 1973, *Spathorhynchus fossorium*, a middle Eocene amphisbaenian (Reptilia) from Wyoming: *Copeia*,(4):704-721.
- Bradley, W. H., 1946, Coprolites from the Bridger Formation of Wyoming, their composition and microorganisms: *American Journal of Science*, 244(3):215-239.
- Bradley, W. H., 1964, Geology of Green River Formation and associated Eocene rocks in southwestern Wyoming and adjacent parts of Colorado and Utah: *U.S. Geological Survey Professional Paper 496-A*:1-86.
- Brand, L., Murphey, P.C., Haessig, J.E., and Smith, A.A., 2007, Bedrock Geologic Map of the Linwood Canyon 7.5' Quadrangle, Sweetwater County, Wyoming: *Wyoming State Geological Survey Map*, 1 sheet (scale 1:24,000).
- Brand, L., Murphey, P.C., Haessig, J.E., and Smith, A.A., 2007, Bedrock Geologic Map of the Antelope Wash 7.5' Quadrangle, Sweetwater County, Wyoming: *Wyoming State Geological Survey Map*, 1 sheet (scale 1:24,000).
- Brand, L. R., 2002, Lacustrine deposition in the Bridger Formation: Lake Gosiute extended: *Geological Society of America Abstracts with Programs, Annual Meeting Issue*.
- Brand, L. R., H. T. Goodwin, P. D. Ambrose and H. P. Buchheim, 2000, Taphonomy of turtles in the Middle Eocene Bridger Formation: *Palaeogeography, Palaeoclimatology, Palaeoecology*, 162:171-189.
- Brand, L. R., H. T. Goodwin and H. P. Buchheim, 1993, Density of turtles in three stratigraphic units of the Eocene Bridger Formation in Wyoming: *Abstracts, Fifty-third annual meeting, Society of Vertebrate Paleontology, Albuquerque, NM, United States, Oct. 13-16, 1993*, 13(3, Suppl):27.
- Brand, L. R., P. C. Murphey, E. Evanoff, N. Matthews and S. Gregonis, 1998, Mapping of the widespread marker units in the middle Eocene Bridger Formation, southwestern Wyoming: *Fifth Annual Conference on Fossil Resources*, p. SP-01.
- Buchheim, H. P., L. R. Brand and H. T. Goodwin, 2000, Lacustrine to fluvial floodplane deposition in the Eocene Bridger Formation: *Palaeogeography, Palaeoclimatology, Palaeoecology*, 162:191-209.
- Burger, B. J., 1998, A new skeleton of *Hyopsodus* from the Eocene of Wyoming: *Abstracts, Fifty-eighth annual meeting, Society of Vertebrate Paleontology, Snowbird, UT, United States, Sept. 30-Oct. 3, 1998*, 18(3, Suppl):30.
- Caldwell, M. W., 2003, Holotype snout elements of *Saniwa ensidens* reassigned to cf. *Restes* sp. indet. (Xenosauridae): *Journal of Paleontology*, 77(2):393-396.
- Clyde, W. C., N. D. Sheldon, P. L. Koch, G. F. Gunnell and W. S. Bartels, (in press), Linking the Wasatchian/Bridgerian boundary to the Cenozoic global climate optimum: new

- magetostratigraphic and isotopic results from South Pass, Wyoming: *Palaeogeography, Palaeoclimatology, and Palaeoecology*, 167:175-199.
- Clyde, W. C., J. P. Zonneveld, J. Stamatakos, G. Gunnell and W. S. Bartels, 1997, Magnetostratigraphy across the Wasatchian/Bridgerian NALMA boundary (early to middle Eocene) in the western Green River Basin, Wyoming: *Journal of Geology*, 105:657-669.
- Coombs, M. C. and W. P. Coombs, Jr., 1982, Anatomy of the ear region of four Eocene artiodactyls; *Gobiohyus*, ?*Helohyus*, *Diacodexis* and *Homacodon*: *Journal of Vertebrate Paleontology*, 2(2):219-236.
- Covert, H. H. and P. C. Murphey, 1994, New middle Eocene omomyine skeletal material: *American Journal of Physical Anthropology, Supplement to no. 18, Annual Meeting Issue*.
- Covert, H. H., P. Robinson and J. R. Harris, 1998, Evidence for two lineages of *Notharctus* during the Bridger C and D: *Journal of Vertebrate Paleontology, Supplement to 18:3*.
- Dawson, M. R., 1962, A sciuravid rodent from the middle Eocene of Wyoming: *American Museum Novitates*, 2075:5.
- Evanoff, E., Murphey, P.C., Haessig, J.E., Smith, A.A., and Matthews, N., 2007, Bedrock geologic map of the Reed Reservoir 7.5' Quadrangle, Sweetwater County, Wyoming: *Wyoming State Geological Survey Map*, 1 sheet (scale 1:24,000).
- Evanoff, E., L. R. Brand and P. C. Murphey, 1998, The lower Bridger Formation (middle Eocene) of southwest Wyoming: Widespread marker units and subdivisions of Bridger B: *Dakoterra*, 5:115-122.
- Evanoff, E., L. R. Brand and P. C. Murphey, 1998, The Bridger Formation (middle Eocene) of southwest Wyoming: Widespread marker units and subdivisions of Bridger B through D: *Society of Vertebrate Paleontology, Supplement to No. 3, p. 40A*.
- Evanoff, E. and P. C. Murphey, 1996, The end of Laramide tectonism as recorded by middle Eocene basinal rocks of Wyoming and adjacent states: *Geological Society of America Abstracts with Programs, Vol. 28, no. 7, p. A-373*.
- Evanoff, E. and P. C. Murphey, 1999, High-resolution stratigraphy of terrestrial sequences: Examples from the White River and Bridger Formations of Wyoming: *Geological Society of America Abstracts with Programs, 1999 Annual Meeting Issue*.
- Evanoff, E., P. C. Murphey and L. R. Brand, 1998, Widespread stratigraphic marker units and subdivisions of Bridger B through D (middle Eocene), southwest Wyoming: *Journal of Vertebrate Paleontology, Abstracts with Programs*.

- Evanoff, E., P. Robinson, P. C. Murphey, D. Kron and D. Engard, 1994, An early Uintan fauna from the Bridger "E": *Abstracts, Fifty-fourth annual meeting, Society of Vertebrate Paleontology, Seattle, WA, United States, Oct. 19-22, 1994*, 14(3, Suppl):24.
- Evanoff, E. and D. F. Rosetti, 1992, A tale of two volcanic sequences I: The fluvial-lacustrine Bridger Formation of southwestern Wyoming: *Society of Economic Paleontology and Mineralogy Theme Meeting Abstracts*, p. 25.
- Evanoff, E. E., P. C. Murphey and P. Robinson, 1996, The middle Eocene Bridger Formation of southwestern Wyoming: *Geological Society of America Abstracts with Programs, Vol. 28, no. 4, p. 27*.
- Evernden, J. F., D. E. Savage, G. H. Curtis and J. T. James, 1964, Potassium-Argon dates and the Cenozoic mammalian chronology of North America: *American Journal of Science*, 262:145-198.
- Feduccia, A. and L. D. Martin, 1976, The Eocene zygodactyl birds of North America (Aves; Piciformes): *Smithsonian Contributions to Paleobiology, no.27, Coll.pap.avian paleontol.honoring 90th birthday A.Wetmore*:101-110.
- Flynn, J. J., 1986, Correlation and geochronology of middle Eocene strata from the western United States: *Palaeogeography, Palaeoclimatology, Palaeoecology*, 55:335-406.
- Gaffney, E. S., 1979, Description of a large trionychid turtle shell from the Eocene Bridger Formation of Wyoming: *Contributions to Geology*, 17(1):53-57.
- Gazin, C. L., 1934, On the priority of specific names for the upper Bridger *Notharctus*: *Journal of mammalogy*, 15(1):71.
- Gazin, C. L., 1946, *Machaeroides eothen* Matthew, the saber tooth creodont of the Bridger Eocene [Wyoming]: *Proceedings of the United States National Museum*, 96(3203):335-347.
- Gazin, C. L., 1949, A leptacid insectivore from the middle Eocene Bridger Formation of Wyoming: *Journal of the Washington Academy of Sciences*, 39(7):220-223.
- Gazin, C. L., 1957, A skull of the Bridger middle Eocene creodont, *Patriofelis ulta* Leidy [Wyoming]: *Smithsonian Miscellaneous Collections*, 134(8):20.
- Gazin, C. L., 1958, A review of the middle and upper Eocene primates of North America: *Smithsonian Miscellaneous Collections*, 136(1):1-112.
- Gazin, C. L., 1965, An endocranial cast of the Bridger middle Eocene primate *Smilodectes gracilis*: *Smithsonian Miscellaneous Collections*, 149(4):1-14.
- Gazin, C. L., 1968, A study of the Eocene condylarthran mammal *Hyopsodus*: *Smithsonian Miscellaneous Collections*, 153(4):1-90.

- Gazin, C. L., 1976, Mammalian faunal zones of the Bridger middle Eocene: *Smithsonian Contributions to Paleobiology*,(26):25-25.
- Geo/Resource, 1984, Green River Basin geologic resources inventory: *Unpublished Technical Report prepared for the Wyoming BLM*.
- Gingerich, P. D., 1979, Phylogeny of middle Eocene Adapidae (Mammalia, Primates) in North America; *Smilodectes* and *Notharctus*: *Journal of Paleontology*, 53(1):153-163.
- Gulas-Wroblewski, B. E. and A. F. J. Wroblewski, 2003, A crown-group galliform bird from the middle Eocene Bridger Formation of Wyoming: *Palaeontology*, 46, Part 6:1269-1280.
- Gulas, B. E. and A. F.-J. Wroblewski, 2002, A new fossil galliform from the Bridger Formation (Eocene, 50-48 ma), southwestern Wyoming: *Geological Society of America, Northeastern Section, 37th annual meeting, Springfield, MA, United States, March 25-27, 2002*, 34(1):58.
- Gunnell, G. F., 1998, Mammalian fauna from the lower Bridger Formation (Bridger A, early middle Eocene) of the southern Green River basin, Wyoming: *Contributions from the Museum of Paleontology, University of Michigan*, 30(3):83-130.
- Gunnell, G. F. and W. S. Bartels, 1990, Early Bridgerian vertebrate paleontology and paleoecology of the southern Green River basin: *Geological Society of America, Rocky Mountain Section, 43rd annual meeting, Jackson, WY, United States, May 21-23, 1990*, 22(6):13.
- Gunnell, G. F. and W. S. Bartels, 1999, Middle Eocene vertebrates from the Uinta Basin, Utah, and their relationship with faunas from the southern Green River Basin, Wyoming, In: *Vertebrate Paleontology in Utah* (D. D. Gillette,eds.), *Utah Geological Survey Miscellaneous Publications*. 429-442
- Gunnell, G. F. and H.-P. Schultze, 1990, Cenogram analysis of the Bridger B mammalian fauna (middle Eocene): *Abstracts, Fiftieth annual meeting, Society of Vertebrate Paleontology, Lawrence, KS, United States, Oct. 11-13, 1990*, 10(3, Suppl):26A.
- Gunnell, G. F. and V. L. Yarborough, 2000, Brontotheriidae (Perissodactyla) from the late early and middle Eocene (Bridgerian), Wasatch and Bridger formations, southern Green River basin, southwestern Wyoming: *Journal of Vertebrate Paleontology*, 20(2):349-368.
- Gustav, S., 1974, The sedimentology and paleogeography of the Bridger Formation (Eocene) of southwestern Wyoming: *Master's thesis, University of Massachusetts*. 82 p
- Hamrick, M. W. and J. P. Alexander, 1996, The hand skeleton of *Notharctus tenebrosus* (Primates, Notharctidae) and its significance for the origin of the primate hand: *American Museum Novitates*, 3182:20.

- Hansen, W. R., 1986, Neogene tectonics and geomorphology of the eastern Uinta Mountains in Utah, Colorado, and Wyoming: *U.S. Geological Survey Professional Paper 1506-A*, 1356:1-78.
- Hasiotis, S. T. and P. C. Murphey, 1997, Preliminary report on aquatic insect and plant ichnofossils from the middle Eocene Bridger Formation, Sweetwater County, Wyoming: *Geological Society of America, South-Central Section, 31st annual meeting and Rocky Mountain Section, 50th annual meeting, El Paso, TX, United States, March 20-21, 1997*, 29(2):13.
- Hayden, F. V., 1871, Preliminary report of the United States Geological Survey of Wyoming and portions of contiguous territories (2nd Annual Report): *U.S. Government Printing Office, Department of the Interior*. 155 p
- Hayden, F. V., 1873, First, Second, and Third Annual Reports Report of the U.S. Geological and Geographic Survey of the Territories, for the years 1867, 1868, and 1869: *U.S. Government Printing Office, Washington*, 261 p.
- Hembree, D. I. and S. T. Hasiotis, 2003, The fossil record and paleoecological significance of North American amphisbaenians and their burrows; the interaction of fossorial reptiles with the substrate: *Geological Society of America, 2003 annual meeting, Seattle, WA, United States, Nov. 2-5, 2003*, 35(6):499.
- Hirsch, K. F. and R. Kohring, 1992, Crocodylian eggs from the middle Eocene Bridger Formation, Wyoming: *Journal of Vertebrate Paleontology*, 12(1):59-65.
- Hutchison, J. H., 1984, Determinate growth in the Baenidae (Testudines); taxonomic, ecologic and stratigraphic significance: *Journal of Vertebrate Paleontology*, 3(3):148-151.
- Jerskey, R. G., 1981, A paleomagnetic study of the Bridger Formation, southern Green River Basin, Wyoming: *Master's thesis, University of Wisconsin-Milwaukee*, 113 p.
- Kistner, F. B., 1973, Stratigraphy of the Bridger Formation in the Big Island-Blue Rim area, Sweetwater County, Wyoming: *Master's thesis, University of Wyoming-Laramie*, 174 p.
- Kitts, D. B., 1957, A revision of the genus *Orohippus* (Perissodactyla, Equidae) [Wyoming]: *American Museum Novitates*, 1864:40.
- Koenig, K. J., 1949, Bridger Formation in the Bridger Basin, Wyoming: *Ph.D. dissertation, University of Illinois*, 119 p.
- Koenig, K. J., 1960, Bridger Formation in the Bridger Basin, Wyoming: *Wyoming Geol. Assoc. Guidebook, Fifteenth Annual Field Conference*:163-168.
- Korth, W. W., 1985, The rodents *Pseudotomus* and *Quadratimus* and the content of the tribe Manitshini (Paramyinae, Ischyromyidae): *Journal of Vertebrate Paleontology*, 5(2):139-152.

- Krishtalka, L., 1976, Early Tertiary Adapisoricidae and Erinaceidae (Mammalia, Insectivora) of North America: *Bulletin of Carnegie Museum of Natural History*,(1):40-40.
- Krishtalka, L., 1976, North American Nyctitheriidae; Mammalia, Insectivora: *Annals of Carnegie Museum*, 46(Article 2):7-28.
- Krishtalka, L. and R. M. West, 1977, Paleontology and geology of the Bridger Formation, southern Green River basin, southwestern Wyoming; Part 2, The Bridgerian insectivore *Entomolestes grangeri*: *Contributions in Biology and Geology*,(14):11-11.
- Krishtalka, L. and R. M. West, 1979, Paleontology and geology of the Bridger Formation, southern Green River basin, southwestern Wyoming; Part 4, The Geolabididae (Mammalia, Insectivora): *Contributions in Biology and Geology*,(27):10-10.
- Krishtalka, L., R. M. West, C. C. Black, M. R. Dawson, J. J. Flynn, W. D. Turnbull, R. K. Stucky, M. M.C., T. M. Bown, D. J. Golz and J. A. Lillegraven, 1987, Eocene (Wasatchian through Duchesnean) biochronology of North America, In: *Cenozoic Mammals of North America: Geochronology and Biostratigraphy* (M. O. Woodburne,eds.), *University of California Press, Berkeley*. 77-117
- Lanham, U., 1973, *The Bone Hunters: The Historic Age of Paleontology in the American West*: Dover Publications. 285 p.
- Leidy, J., 1869, Notice of some extinct vertebrates from Wyoming and Dakota: *Proceedings of the Academy of Natural Sciences of Philadelphia*:63-67.
- Leidy, J., 1871, Notice of some extinct rodents: *Proceedings of the Academy of Natural Sciences of Philadelphia*:230-232.
- Leidy, J., 1872, On the fossil vertebrates of the early Tertiary of Wyoming: *United States Geological Survey of Montana and Portions of Adjacent Territories, Fifth Annual Report On the fossil vertebrates of the early Tertiary of Wyoming* p. 353-372.
- Leidy, J., 1872, On some new species of fossil mammalia from Wyoming: *Proceedings of the Academy of Natural Sciences of Philadelphia*:167-169.
- Leidy, J., 1873, Contributions to the extinct vertebrate fauna of the western territories, Part I: *Report of the United States Geological Survey of the Territories, F.V. Hayden*, 358 p.
- Love, J. D., 1939, Geology along the southern margin of the Absaroka Range, Wyoming: *Geological Society of America Special Paper*, 39:1-134.
- Mader, B. J., 1989, The Brontotheriidae: a systematic revision and preliminary phylogeny of North American genera, In: *The Evolution of Perissodactyls* (D. R. Prothero and R. M. Schoch,eds.), New York, *Oxford University Press*. 458-484
- Matthew, W. D., 1909, The Carnivora and Insectivora of the Bridger Basin, middle Eocene: *Memoirs of the American Museum of Natural History*, 9(6):291-567.

- Matthew, W. D., 1920, A new genus of rodents [*Reithroparamys*] from the middle Eocene: *Journal of mammalogy*, 1(4):168-169.
- Matthew, W. D. and W. Granger, 1903-1906, field notes: *Frick Archives, American Musrum of Natural History*.
- McGrew, P. O., 1959, The geology and paleontology of the Elk Mountain and Tabernacle Butte area, Wyoming: *Bulletin of the American Museum of Natural History*, 117 (Article 3):123-174.
- McGrew, P. O. and T. M. Bown, 1976, Fossil vertebrate faunas: Green Mountain, Ferris-Seven Lakes, and Sandy EIS areas, and Sweetwater County, Wyoming: *Unpublished technical report prepared for the Wyoming BLM*. 422 pp.
- McGrew, P. O. and T. M. Bown, 1977, Fossil vertebrate faunas: Carbon, Lincoln, and Uinta Counties, Wyoming: *Unpublished technical report prepared for the Wyoming BLM*. 251 pp.
- McGrew, P. O. and R. Sullivan, 1970, The stratigraphy and paleontology of Bridger A: *Contributions to Geology, University of Wyoming*, 9(2):66-85.
- McKenna, M. C., P. Robinson and D. W. Taylor, 1962, Notes on Eocene Mammalia and Mollusca from Tabernacle Butte, Wyoming: *American Museum Novitates*, 2102:33.
- McKenna, M. C., D. E. Russell, R. M. West, C. C. Black, T. D. Turnbull, M. R. Dawson and J. A. Lillegraven, 1973, K-Ar recalibration of Eocene North American land mammal "ages" and European ages: *Geological Society of America Abstracts with Programs, 1999 Annual Meeting Issue.*, 5:733.
- McKenna, M. C. and G. G. Simpson, 1959, A new insectivore from the middle Eocene of Tabernacle Butte, Wyoming: *American Museum Novitates*, 1952:12.
- Miyata, K. and R. J. Emry, 2002, New information on the dental morphology of *Trogosus* material from the Bridger Formation, Uinta County, Wyoming, and its implication to the evolutionary history of tillodonts: *Sixty-second annual meeting, Abstracts of papers, Norman, OK, United States, Oct. 9-12, 2002*, 22(3, Suppl):89.
- Mook, C. C., 1960, Diplocynodon remains from the Bridger beds of Wyoming: *American Museum Novitates*, 2007(2007):4.
- Mook, C. C., 1961, Notes on the skull characters of *Allognathosuchus polyodon*: *American Museum Novitates*, 2072:1-5.
- Mook, C. C., 1962, A new species of *Brachyuranochampsa* (Crocodylia) from the Bridger Beds of Wyoming: *American Museum Novitates*, 2079:6.
- Morlo, M. and G. F. Gunnell, 2003, Small limnocyonines (Hyaenodontidae, Mammalia) from the Bridgerian middle Eocene of Wyoming; *Thinocyon*, *Prolimnocyon*, and *Iridodon*,

new genus: *Contributions from the Museum of Paleontology, University of Michigan*, 31(2):43-78.

- Morlo, M. and G. F. Gunnell, 2005, New species of *Limnocyon* (Mammalia, Creodonta) from the Bridgerian (middle Eocene): *Journal of Vertebrate Paleontology*, 25(1):251-255.
- Morlo, M., G. F. Gunnell, J. Anderson, H.-D. Sues, M. Fox, J. A. Case, J. Eberle, M. Goodwin and S. Carlson, 2003, New species of *Limnocyon* (Limnocyoninae, Hyaenodontidae, Mammalia) from the middle Bridgerian (middle Eocene) of southwestern Wyoming: *Abstracts, Sixty-third annual meeting, Society of Vertebrate Paleontology, Science Museum of Minnesota, Saint Paul, MN, United States, Oct. 15-18, 2003*, 23(3, Suppl):80.
- Murphey, P.C., and S. L. Walsh. 2007. Shoshonian revisited: Documenting the Bridgerian-Uintan faunal transition in the Turtle Bluff Member of the Bridger Formation (middle Eocene), southwestern Wyoming. *Geological Society of America Abstracts with Program* 39:418.
- Murphey, P.C., and Daitch, D., 2007, Paleontological overview of oil shale and tar sands areas in Colorado, Utah and Wyoming: *U.S. Department of Energy, Argonne National Laboratory Report Prepared for the U.S. Department of Interior Bureau of Land Management*, 468 p. and 6 maps (scale 1:500,000).
- Murphey, P.C., and Evanoff, E., 2007, Stratigraphy, fossil distribution and depositional environments of the upper Bridger Formation (middle Eocene), southwestern Wyoming: *Wyoming State Geological Survey Report of Investigation 57*, 107 p, (1 map, scale 1:100,000; 10 maps, scale 1:24,000).
- Murphey, P.C., Brand, L., Haessig, J.E., and Smith, A.A., 2007, Bedrock geologic map of the Devils Playground 7.5' Quadrangle, Sweetwater County, Wyoming: *Wyoming State Geological Survey Map*, 1 sheet (scale 1:24,000).
- Murphey, P.C., Brand, L., and Haessig, J.E., 2007, Bedrock geologic map of the Black Spring Reservoir 7.5' Quadrangle, Sweetwater County, Wyoming: *Wyoming State Geological Survey Map*, 1 sheet (scale 1:24,000).
- Murphey, P.C., Haessig, J.E., and Brand, L., 2007, Bedrock geologic map of the Horse Ranch 7.5' Quadrangle, Sweetwater County, Wyoming: *Wyoming State Geological Survey Map*, 1 sheet (scale 1:24,000).
- Murphey, P.C., Haessig, J.E., Brand, L., and Matthews, N., 2007, Bedrock geologic map of the McKinnon 7.5' Quadrangle, Sweetwater County, Wyoming: *Wyoming State Geological Survey Map*, 1 sheet (scale 1:24,000).
- Murphey, P.C., Haessig, J.E., Brand, L., and Matthews, N., 2007, Bedrock geologic map of the Soap Holes Reservoir 7.5' Quadrangle, Sweetwater County, Wyoming: *Wyoming State Geological Survey Map*, 1 sheet (scale 1:24,000).

- Murphey, P.C., Evanoff, E., Haessig, J.E., Matthews, N., 2007, Bedrock geologic map of the Burntfork 7.5' Quadrangle, Sweetwater County, Wyoming: *Wyoming State Geological Survey Map*, 1 sheet (scale 1:24,000).
- Murphey, P.C., Evanoff, E., Haessig, J.E., Matthews, N., 2007, Bedrock geologic map of the Lonetree 7.5' Quadrangle, Sweetwater County, Wyoming: *Wyoming State Geological Survey Map*, 1 sheet (scale 1:24,000).
- Murphey, P. C. and K. E. Townsend, 2005, Ecological Diversity Analysis applied to facies faunas in the Twin Buttes Member, middle Eocene Bridger Formation, southwestern Wyoming, USA: *Society of Vertebrate Paleontology*, 25(3, Suppl).
- Murphey, P.C., N. Matthews, 2004, Geologic mapping and fossil distribution studies in the Bridger Formation (middle Eocene), southwestern Wyoming; a progress report: *Abstracts, Sixty-fourth annual meeting, Society of Vertebrate Paleontology, Denver, CO, United States, Nov. 3-6, 2004*, 24(3, Suppl):97.
- Murphey, P. C., L. L. Torick, E. S. Bray, R. Chandler and E. Evanoff, 2001, Taphonomy, fauna, and depositional environment of the *Omomys* Quarry, an unusual accumulation from the Bridger Formation (middle Eocene) of southwestern Wyoming (USA); Eocene biodiversity; unusual occurrences and rarely sampled habitats: *Topics in Geobiology*, 18:361-402.
- Murphey, P. C., 2001, Stratigraphy, fossil distribution, and depositional environments of the upper Bridger Formation (middle Eocene) of southwestern Wyoming, and the taphonomy of an unusual Bridger microfossil assemblage: *University of Colorado Doctoral Dissertation*. 345.
- Murphey, P. C., A. Lester, B. Bohor, P. Robinson, E. Evanoff and E. Larson, 1999, ⁴⁰Ar/³⁹Ar dating of volcanic ash deposits in the Bridger Formation (middle Eocene) of southwestern Wyoming: *Geological Society of America Abstracts with Programs, 1999 Annual Meeting Issue*, A-233.
- Murphey, P. C., L. Torick, E. Bray, R. Chandler and E. Evanoff, 1998, Taphonomy and paleoecology of the *Omomys* Quarry, an unusual fossil accumulation from the Bridger Formation, Wyoming: *Abstracts, Fifty-eighth annual meeting, Society of Vertebrate Paleontology, Snowbird, UT, United States, Sept. 30-Oct. 3, 1998*, 18(3, Suppl):65.
- Murphey, P. C., 1996, Depositional setting and fauna of the *Omomys* Quarry; a possible owl site in the Bridger Formation (middle Eocene) of southwestern Wyoming: *Abstracts, Fifty-sixth annual meeting, Society of Vertebrate Paleontology, New York, NY, United States, Oct. 16-19, 1996*, 16(3, Suppl):55.
- Murphey, P. C., 1996, The Henrys Fork white layer, a fossil bearing lacustrine deposit within the middle Eocene Bridger Formation, southwestern Wyoming: *Geological Society of America Abstracts with Programs, Vol. 28, no. 4, p. 33*.

- Murphey, P. C., 1995, Paleontology, sedimentology, and depositional history of a middle Eocene lacustrine deposit in the Bridger Formation, southwest Wyoming: *University of Colorado unpublished Masters Thesis* 121 p.
- Novacek, M., 1977, A review of Paleocene and Eocene Leptictidae (Eutheria; Mammalia) from North America: *PaleoBios*,(24):42-42.
- Osborn, H. F., 1904, An armadillo from the middle Eocene (Bridger) of North America: *Bulletin of the American Museum of Natural History*:163-165.
- Osborn, H. F., 1929, The Titanotheres of ancient Wyoming, Dakota, and Nebraska: *United States Geological Survey Monograph* 1(55):1-701.
- Powell, J. W., 1876, Report on the geology of the eastern portion of the Uinta Mountains and a region of country adjacent thereto: *U.S. Geological and Geographical survey of the Territories*:218 p.
- Prothero, D. R., 1995, Geochronology and magnetostratigraphy of Paleogene North American Land Mammal "ages": an update, In: *Geochronology Time Scales and Global Stratigraphic Correlation*, *SEPM Special Publication* 305-315
- Prothero, D. R. and C. C. Swisher, III, 1992, Magnetostratigraphy and geochronology of the terrestrial Eocene-Oligocene transition in North America, In: *Eocene-Oligocene Climatic and Biotic Evolution* (D. R. Prothero and W. A. Berggren, eds.), *Princeton University Press, Princeton, New Jersey*. 46-73.
- Radinsky, L. B., 1967, *Hyrachyus*, *Chasmotherium*, and the early evolution of Helaeetid tapiroids: *American Museum Novitates*, 2313:23.
- Robinson, P., 1963, Fused cervical vertebrae from the Bridger Formation (Eocene) of Wyoming: *Colorado Univ. Studies Ser. Geology*, 1:6-9.
- Robinson, P., D. J. Daitch and J. E. Haessig, 2000, Fossil vertebrate localities of southwestern Wyoming: a literature search, locality record, and formation evaluation: *Unpublished technical report prepared for the Wyoming BLM*.
- Robinson, P., G. F. Gunnell, S. L. Walsh, W. C. Clyde, J. E. Storer, R. K. Stucky, D. J. Froehlich, I. F. Villafranca and M. C. McKenna, 2004, Wasatchian through Duchesnean biochronology, In: *Late Cretaceous and Cenozoic Mammals of North America* (M. O. Woodburne, eds.), *Columbia University Press*. 106-155
- Roehler, H. W., 1992a, Geology of the Eocene Wasatch, Green River, and Bridger (Washakie) Formations, Greater Green River Basin, Wyoming, Utah and Colorado: Introduction to Greater Green River Basin Geology, Physiography, and History of Investigations: *U.S. Geological Survey Professional Paper* 1506-A:14
- Roehler, H. W., 1992b, Geology of the Eocene Wasatch, Green River, and Bridger (Washakie) Formations, Greater Green River Basin, Wyoming, Utah and Colorado: Description and

Correlation of Eocene Rocks in Stratigraphic Reference Sections for the Green River and Washakie Basin, Southwest Wyoming: *U.S. Geological Survey Professional Paper 1506-D*:83pp

- Roehler, H. W., 1992c, Geology of the Eocene Wasatch, Green River, and Bridger (Washakie) Formations, Greater Green River Basin, Wyoming, Utah and Colorado: Correlation, Composition, Areal Distribution, and Thickness of Eocene Stratigraphic Units, Greater Green River Basin, Wyoming, Utah, and Colorado: *U.S. Geological Survey Professional Paper 1506-E*:49 pp.
- Roehler, H. W., 1993, Geology of the Eocene Wasatch, Green River, and Bridger (Washakie) Formations, Greater Green River Basin, Wyoming, Utah and Colorado: Eocene Climates, Depositional Environments, and Geography, Greater Green River Basin, Wyoming, Utah and Colorado: *U.S. Geological Survey Professional Paper 1506-F*:74 pp.
- Royse, F. R. J., 1993, An overview of the geologic structure of the thrust belt in Wyoming, northern Utah, and eastern Idaho, In: *Geology of Wyoming, Memoir no. 5, The Geological Survey of Wyoming*, p. 272-311
- Schafer, A. R., H. T. Goodwin, L. Brand, H. Moon, S. Ting, P. Gingerich, P. Higgins, B. Small and M. Fox, 2004, Taphonomy of microfossils from the Black Mountain turtle layer, Eocene Bridger Formation, southwestern Wyoming: *Abstracts, Sixty-fourth annual meeting, Society of Vertebrate Paleontology, Denver, CO, United States, Nov. 3-6, 2004*, 24(3, Suppl):110.
- Schminke, H. U. and P. van den Bogaard, 1991, Tephra layers and tephra events, In: *Cycles and Events in Stratigraphy* (G. Einsele, W. Ricken and A. Seilacher, eds.), *Springer-Verlag, Berlin*. 392-429
- Schoch, R. M., 1983, A new species of *Isectolophus* (Mammalia, Tapiroidea) from the middle Eocene of Wyoming: *Postilla*, 188:4.
- Simpson, G. G., 1933, Glossary and correlation charts of North American Tertiary mammal-bearing formations: *American Museum of Natural History Bulletin*, 47:91.
- Simpson, G. G., 1959a, Two new records from the Bridger middle Eocene of Tabernacle butte, Wyoming: *American Museum Novitates*, 1966:5.
- Simpson, G. G., 1959b, A new middle Eocene edentate from Wyoming: *American Museum Novitates*, 1950:8.
- Sinclair, W. J., 1906, Volcanic ash in the Bridger beds of Wyoming: *American Museum of Natural History Bulletin*, 47:1-91.
- Slattengren, B. A., 1988, Paramyid rodents from a single layer in the middle Eocene Bridger Formation: *Abstracts, Forty-eighth annual meeting, Society of Vertebrate Paleontology, Drumheller, AB, Canada, Oct. 13-15, 1988*, 8(3, Suppl):26A.

- Smith, M. E., 2001, Precise $^{40}\text{Ar}/^{39}\text{Ar}$ laser fusion geochronology of the Green River Formation, Wyoming: *Geological Society of America Abstracts with Programs, annual meeting issue*.
- Smith, M. E., B. Singer and A. R. Carroll, 2003, $^{40}\text{Ar}/^{39}\text{Ar}$ geochronology of the Eocene Green River Formation, Wyoming: *Geological Society of America Bulletin*, 115(5):545-565.
- Socci, A., 1978, The sedimentary petrology of the Bridger C in the southern Green River Basin, southern Wyoming: *Master's thesis, University of Wisconsin-Milwaukee*.
- Sullivan, R. M., 1979, Revision of the Paleogene genus *Glyptosaurus*; Reptilia, Anguinae: *Bulletin of the American Museum of Natural History*, 163, Article 1:72.
- Sullivan, R. M., 1986, The skull of *Glyptosaurus sylvestris* Marsh, 1871 (Lacertilia: Anguinae): *Journal of Vertebrate Paleontology*, 6(1):28-37.
- Townsend, K. E., 2004, Stratigraphy, paleoecology, and habitat change in the middle Eocene of North America: *Washington University, Saint Louis, MO, United States (USA) Doctoral*.
- Troxell, E. L., 1923, American rhinoceroses and the evolution of *Diceratherium*: *Geological Society of America Bulletin*, 34(1):134.
- Troxell, E. L., 1923, *Pauromys perditus*, a small rodent [Bridger formation, Wyoming]: *American Journal of Science*, 5:155-156.
- Vallentyne, J. R., 1960, On fish remains in lacustrine sediments: *American Journal of Science, Bradley Volume*, 258-A:344-349.
- Wallace, S. M., 1980, A revision of North American early Eocene Brontotheriidae (Mammalia, Perissodactyla): *University of Colorado, Boulder, CO, United States (USA) Master's*.
- Walsh, S. A., 1996, The Bridgerian/Uintan boundary and the status of the "Shoshonian" (earliest Uintan) land mammal "subage," In: *The Terrestrial Eocene-Oligocene Transition in North America* (D. R. Prothero and R. J. Emry, eds.), *New York, Cambridge University Press*. 52-59
- West, R. M., 1970, Additional Middle Eocene (Bridgerian) mammals from Tabernacle Butte, Sublette County, Wyoming: *American Museum Novitates*, 2404:26pp.
- West, R. M., 1972, The North American Eocene apatemyid insectivores: *Year Book - American Philosophical Society*, 1971(71):357.
- West, R. M., 1973, An early middle Eocene epoicotheriid (Mammalia) from southwestern Wyoming: *Journal of Paleontology*, 47(5):929-931.
- West, R. M., 1974, New North American Middle Eocene nyctitheres (Mammalia, Insectivora): *Journal of Paleontology*, 48(5):983-987.

- West, R. M., 1976, Paleontology and geology of the Bridger Formation, southern Green River basin, southwestern Wyoming; Part 1, History of field work and geological setting: *Contributions in Biology and Geology*,(7):12-12.
- West, R. M., 1979, Paleontology and geology of the Bridger Formation, southern Green River basin, southwestern Wyoming; Part 3, Notes on *Hyopsodus*: *Contributions in Biology and Geology*,(25):52-52.
- West, R. M., 1981, Geology and paleontology of the Bridger Formation, southern Green River basin, southwestern Wyoming; Part 5, *Harpagolestes macrocephalus* and comments on structure, function and diversity of middle Eocene to early Oligocene large mesonychids: *Contributions in Biology and Geology*,(43):17-17.
- West, R. M., 1984, Paleontology and geology of the Bridger Formation, southern Green River basin, southwestern Wyoming; Part 7, Survey of Bridgerian Artiodactyla, including description of a skull and partial skeleton of *Antiacodon pygmaeus*: *Contributions in Biology and Geology*, 56:47.
- West, R. M., 1990, Vertebrate paleontology of the Green River Basin, Wyoming, 1840-1910: *Earth Sciences History*, 9(1):45-56.
- West, R. M. and M. R. Dawson, 1975, Eocene fossil Mammalia from the Sand Wash Basin, northwestern Moffat County, Colorado: *Annals of Carnegie Museum*, 45(Article 11):231-253.
- West, R. M. and J. H. Hutchison, 1981, Geology and paleontology of the Bridger Formation, southern Green River basin, southwestern Wyoming; Part 6, The fauna and correlation of Bridger E: *Contributions in Biology and Geology*, 46:8.
- Wetmore, A., 1922, A fossil owl from the Bridger Eocene: *Proceedings of the Academy of Natural Sciences of Philadelphia*, 73, Part 3:455-458.
- Wilson, M. V., 1987, Predation as a source of fish fossils in Eocene lake sediments: *Palaeos*, 2:497-504.
- Wilson, R. W., 1938, Review of some rodent genera from the Bridger Eocene; Part III: *American Journal of Science*, 35(208):297-304.
- Wood, A. E., 1959, A new sciuravid rodent of the genus *Pauromys* from the Eocene of Wyoming: *American Museum Novitates*, 1978:6.
- Wood, C. B., 1966, Stratigraphy and paleontology of the Bridger Formation northeast of Opal, Lincoln County, Wyoming: *University of Wyoming, Laramie, WY, United States (USA) Master's*.
- Wood, H. E., 1934, Revision of the Hyrachyidae: *American Museum of Natural History Bulletin*, 67(5):181-295.

Wood, H. E., R. W. Chaney, J. Clark, E. H. Colbert, G. L. Jepsen, J. B. Reeside and C. Stock, 1941, Nomenclature and correlation of the North American continental Tertiary: *Geological Society of America Bulletin*, 52:1-48.

Woodburne, M. O. and C. C. I. Swisher, 1995, Land mammal high-resolution geochronology, intercontinental overland dispersals, sea level, climate, and vicariance, In: *Geochronology, Time Scales, and Global Stratigraphic Correlations: Unified Temporal Framework for an Historical Geology* (W. A. Berggren, D. V. Kent, M. P. Aubry and J. Hardenbol, eds.), *SEPM Special Publication no. 54*. 337-364.

Zangerl, R., 1944, *Aspideretes annae* n. sp., a new species of soft shell turtle from the Bridger Eocene of Wyoming: *American Midland Naturalist*, 31(3):583-591.